

Anexo I:

Anexo II: Lista de especies en peligro o amenazadas

Magnoliofitas
<i>Cymodocea nodosa</i> (Ucria) Ascherson <i>Posidonia oceanica</i> (Linnaeus) Delile <i>Zostera marina</i> Linnaeus <i>Zostera noltii</i> Hornemann
Clorófitas
<i>Caulerpa ollivieri</i> Dostál
Heterocontofitas
<i>Cystoseira</i> genus (salvo <i>Cystoseira compressa</i>) <i>Fucus virsoides</i> J. Agardh <i>Kallymenia spathulata</i> (J. Agardh) P.G. Parkinson <i>Laminaria rodriguezii</i> Bornet <i>Sargassum acinarium</i> (Linnaeus) Setchell <i>Sargassum flavifolium</i> Kützing <i>Sargassum hornschurchii</i> C. Agardh <i>Sargassum trichocarpum</i> J. Agardh
Rodofitas
<i>Fucus virsoides</i> J. Agardh <i>Gymnogongrus crenulatus</i> (Turner) J. Agardh <i>Kallymenia spathulata</i> (J. Agardh) P.G. Parkinson <i>Lithophyllum byssoides</i> (Lamarck) Foslie (sinónimo <i>Lithophyllum lichenoides</i>) <i>Ptilophora mediterranea</i> (H. Huvé) R.E. Norris <i>Schimmelmannia schousboei</i> (J. Agardh) J. Agardh <i>Sphaerococcus rhizophylloides</i> J.J. Rodríguez <i>Tenarea tortuosa</i> (Esper) Lemoine <i>Titanoderma ramosissimum</i> (Heydrich) Bressan y Cabioch (sinónimo <i>Goniolithon byssoides</i>) <i>Titanoderma trochanter</i> (Bory) Benhissoune et al.
Poríferos
<i>Aplysina</i> sp. plur. <i>Asbestopluma hypogea</i> (Vacelet y Boury-Esnault, 1995) <i>Axinella cannabina</i> (Esper, 1794) <i>Axinella polypoides</i> (Schmidt, 1862) <i>Geodia hydronium</i> (Jameson, 1811) <i>Petrobiona massiliana</i> (Vacelet y Lévi, 1958) <i>Sarcotragus foetidus</i> Schmidt, 1862 (sinónimo <i>Ircina foetida</i>) <i>Sarcotragus pipetta</i> (Schmidt, 1868) (sinónimo <i>Ircinia pipetta</i>) <i>Tethyasp.</i> plur.
Cnidarios
<i>Antipathella subpinnata</i> (Ellis y Solander, 1786) <i>Antipathes dichotoma</i> (Pallas, 1766) <i>Antipathes fragilis</i> (Gravier, 1918) <i>Astroides calycularis</i> (Pallas, 1766) <i>Callogorgia verticillata</i> (Pallas, 1766) <i>Cladocora caespitosa</i> (Linnaeus, 1767) <i>Cladocora debilis</i> (Milne Edwards y Haime, 1849)

<p><i>Dendrophyllia cornigera</i> (Lamarck, 1816) <i>Dendrophyllia ramea</i> (Linnaeus, 1758) <i>Desmophyllum dianthus</i> (Esper, 1794) <i>Ellisella paraplexauroides</i> (Stiasny, 1936) <i>Errina aspera</i> (Linnaeus, 1767) <i>Isidella elongata</i> (Esper, 1788) <i>Leiopathes glaberrima</i> (Esper, 1792) <i>Lophelia pertusa</i> (Linnaeus, 1758) <i>Madrepora oculata</i> (Linnaeus, 1758) <i>Parantipathes larix</i> (Esper, 1790) <i>Savalia savaglia</i> Nardo, 1844 (sinónimo <i>Gerardia savaglia</i>)</p>
Briozoos
<p><i>Hornera lichenoides</i> (Linnaeus, 1758)</p>
Moluscos
<p><i>Charonia lampas</i> (Linnaeus, 1758) (= <i>Ch. Rubicunda</i> = <i>Ch. Nodifera</i>) <i>Charoniatritonis variegata</i> (Lamarck, 1816) (= <i>Ch. Seguenziae</i>) <i>Dendropoma petraeum</i> (Monterosato, 1884) <i>Erosaria spurca</i> (Linnaeus, 1758) <i>Gibbula nivosa</i> (Adams, 1851) <i>Lithophaga lithophaga</i> (Linnaeus, 1758) <i>Luria lurida</i> (Linnaeus, 1758) (= <i>Cypraea lurida</i>) <i>Mitra zonata</i> (Marryat, 1818) <i>Patella ferruginea</i> (Gmelin, 1791) <i>Patella nigra</i> (Da Costa, 1771) <i>Pholas dactylus</i> (Linnaeus, 1758) <i>Pinna nobilis</i> (Linnaeus, 1758) <i>Pinna rudis</i> (= <i>P. pernula</i>) (Linnaeus, 1758) <i>Ranella olearia</i> (Linnaeus, 1758) <i>Schilderia achatidea</i> (Gray en G.B. Sowerby II, 1837) <i>Tonna galea</i> (Linnaeus, 1758) <i>Zonaria pyrum</i> (Gmelin, 1791)</p>
Crustáceos
<p><i>Ocypode cursor</i> (Linnaeus, 1758) <i>Pachylasma giganteum</i> (Philippi, 1836)</p>
Equinodermos
<p><i>Asterina pancerii</i> (Gasco, 1870) <i>Centrostephanus longispinus</i> (Philippi, 1845) <i>Ophidiaster ophidianus</i> (Lamarck, 1816)</p>
Peces
<p><i>Acipenser naccarii</i> (Bonaparte, 1836) <i>Acipenser sturio</i> (Linnaeus, 1758) <i>Aphanius fasciatus</i> (Valenciennes, 1821) <i>Aphanius iberus</i> (Valenciennes, 1846) <i>Carcharias taurus</i> (Rafinesque, 1810) <i>Carcharodon carcharias</i> (Linnaeus, 1758) <i>Cetorhinus maximus</i> (Gunnerus, 1765) <i>Dipturus batis</i> (Linnaeus, 1758) <i>Galeorhinus galeus</i> (Linnaeus, 1758) <i>Gymnura altavela</i> (Linnaeus, 1758)</p>

<p><i>Hippocampus guttulatus</i> (Cuvier, 1829) (sinónimo <i>Hippocampus ramulosus</i>) <i>Hippocampus hippocampus</i> (Linnaeus, 1758) <i>Huso huso</i> (Linnaeus, 1758) <i>Isurus oxyrinchus</i> (Rafinesque, 1810) <i>Lamna nasus</i> (Bonnaterre, 1788) <i>Lethentero nzanandreae</i> (Vladykov, 1955) <i>Leucoraja circularis</i> (Couch, 1838) <i>Leucoraja melitensis</i> (Clark, 1926) <i>Mobula mobular</i> (Bonnaterre, 1788) <i>Odontaspis ferox</i> (Risso, 1810) <i>Oxynotus centrina</i> (Linnaeus, 1758) <i>Pomatoschistus canestrini</i> (Ninni, 1883) <i>Pomatoschistus tortonesei</i> (Miller, 1969) <i>Pristis pectinata</i> (Latham, 1794) <i>Pristis pristis</i> (Linnaeus, 1758) <i>Rhinobatoscemiculus</i> (E. Geoffroy Saint-Hilaire, 1817) <i>Rhinobatos rhinobatos</i> (Linnaeus, 1758) <i>Rostroraja alba</i> (Lacépède, 1803) <i>Sphyrna lewini</i> (Griffith y Smith, 1834) <i>Sphyrna mokarran</i> (Rüppell, 1837) <i>Sphyrna zygaena</i> (Linnaeus, 1758) <i>Squatina aculeata</i> (Dumeril, en Cuvier, 1817) <i>Squatina oculata</i> (Bonaparte, 1840) <i>Squatina squatina</i> (Linnaeus, 1758) <i>Valencia hispanica</i> (Valenciennes, 1846) <i>Valencia letourneuxi</i> (Sauvage, 1880)</p>
<p>Reptiles</p>
<p><i>Caretta caretta</i> (Linnaeus, 1758) <i>Chelonia mydas</i> (Linnaeus, 1758) <i>Dermochelys coriacea</i> (Vandelli, 1761) <i>Eretmochelys imbricata</i> (Linnaeus, 1766) <i>Lepidochelys kempii</i> (Garman, 1880) <i>Trionyx triunguis</i> (Forskål, 1775)</p>
<p>Aves</p>
<p><i>Calonectris diomedea</i> (Scopoli, 1769) <i>Ceryle rudis</i> (Linnaeus, 1758) <i>Charadrius alexandrinus</i> (Linnaeus, 1758) <i>Charadrius leschenaultii columbinus</i> (Lesson, 1826) <i>Falco eleonora</i> (Géné, 1834) <i>Gelochelidon nilotica</i> (Gmelin, JF, 1789) <i>Halcyon smyrnensis</i> (Linnaeus, 1758) <i>Hydrobates pelagicus</i> (Linnaeus, 1758) <i>Hydrobates pelagicus sp. melitensis</i> (Schembri, 1843) <i>Hydroprogne caspia</i> (Pallas, 1770) <i>Larus armenicus</i> (Buturlin, 1934) <i>Larus audouinii</i> (Payraudeau, 1826) <i>Larus genei</i> (Breme, 1839) <i>Larus melanocephalus</i> (Temminck, 1820) <i>Microcarbo pygmaeus</i> (Pallas, 1773) <i>Numenius tenuirostris</i> (Viellot, 1817) <i>Pandion haliaetus</i> (Linnaeus, 1758) <i>Pelecanus crispus</i> (Bruch, 1832) <i>Pelecanus onocrotalus</i> (Linnaeus, 1758)</p>

Phalacrocorax aristotelis sp. desmarestii (Payraudeau, 1826)

Phalacrocorax aristotelis (Linnaeus, 1761)

Phalacrocorax pygmeus (Pallas, 1773)

Phoenicopterus roseus (Pallas, 1811)

Phoenicopterus ruber (Linnaeus, 1758)

Puffinus mauretanicus (Lowe, PR, 1921)

Puffinus yelkouan (Brünnich, 1764)

Sterna albifrons (Pallas, 1764)

Sterna bengalensis (Lesson, 1831)

Sterna caspia (Pallas, 1770)

Sternanilotica (Gmelin, JF, 1789)

Sterna sandvicensis (Latham, 1878)

Sternula albifrons (Pallas, 1764)

Thalasseus bengalensis (Lesson, 1831)

Thalasseus sandvicensis (Latham, 1878)

Mamíferos

Balaenoptera acutorostrata (Lacépède, 1804)

Balaenoptera borealis (Lesson, 1828)

Balaenoptera physalus (Linnaeus, 1758)

Delphinus delphis (Linnaeus, 1758)

Eubalaena glacialis (Müller, 1776)

Globicephala melas (Trail, 1809)

Grampus griseus (Cuvier G., 1812)

Kogia simus (Owen, 1866)

Megaptera novaeangliae (Borowski, 1781)

Mesoplodon densirostris (de Blainville, 1817)

Monachus monachus (Hermann, 1779)

Orcinus orca (Linnaeus, 1758)

Phocoena phocoena (Linnaeus, 1758)

Physeter macrocephalus (Linnaeus, 1758)

Pseudorca crassidens (Owen, 1846)

Stenella coeruleoalba (Meyen, 1833)

Steno bredanensis (Cuvier in Lesson, 1828)

Tursiops truncatus (Montagu, 1821)

Ziphius cavirostris (Cuvier G., 1832)